Remove

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT
(Not for submission under 37 CFR 1.99)

Application Number		10569316		
Filing Date		2006-02-22		
First Named Inventor Jean-S		Sébastien Garrigue		
Art Unit		1618		
Examiner Name Not Y		et Assigned		
Attorney Docket Number		PLASSR 3.3-001		

Examiner Initial*	Cite No	Patent Number	mber Kind Codet Issue Date Name of Patentee or Applican of cited Document		Releva		Lines where ges or Relev				
	1	6509370		2003-01-21		Joshi-Hangal e	rt al.				
	2	6458373		2002-10	I-01	Lambert et al.					
If you wis	h to a	dd additional U.S. Pater	nt citatio	n inform	ation pl	ease click the	Add button.		Add		
			U.S.P.	ATENT	APPLIC	CATION PUBL	ICATIONS		Remove		
Examiner Initial*	Cite No	Publication Number	Kind Code ¹	Publica Date			Releva		Lines where ges or Relev		
	1	20020156124		2002-10	1-24	Gao et al.					
If you wis	h to a	dd additional U.S. Publi	shed Ap	plication	citation	n information p	lease click the Ad	button.	Add		
				FOREIG	3N PAT	ENT DOCUM	ENTS		Remove		
Examiner Initial*	Cite No	Foreign Document Number ³	Country Code ²		Kind Code4	Publication Date	Name of Patente Applicant of cited Document	e or v	here Rel	or Relevant	T5
	1	1340497	EP			2003-09-03	Novagali Sas et al.				
	2	0078247	wo			2000-12-28	Baker Norton Pharr	ma			

U.S.PATENTS

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)

Application Number		10569316		
Filing Date		2006-02-22		
First Named Inventor Jean-S		Sébastien Garrigue		
Art Unit		1618		
Examiner Name Not Ye		et Assigned		
Attament Destat Northern		DI ACCD 2 2 001		

	_						-			
	3	0243765	wo	2002-06-06	Transform Pharmaceuticals Inc et al.					
	4	9511039	wo	1995-04-27	Hexal Pharma Gmbh et al.	English translation of abstract only.	×			
	5	9945918	wo	1999-09-16	Napro Biotherapeutics Inc					
If you wis	h to ac	ld additional Foreign P	atent Document citation	information pl	lease click the Add buttor	Add				
			NON-PATENT LIT	ERATURE DO	CUMENTS	Remove				
Examiner Initials*	Cite No	(book, magazine, jour		catalog, etc), o	the article (when appropr date, pages(s), volume-is		T5			
	1		E. K. Rowinsky, The development and clinical utility of the taxane class of antimicrotubule chemotherapy agents. Annu Rev Med. 48: 353-74 (1997).							
	2	R. T. Liggins, W. L. Hunter, H. M. Burt, Solid-state characterization of paclitaxel. J Pharm Sci. 86: 1458-63 (1997).								
	3	R. E. Gregory, A. F. De Lisa, Paclitaxel: a new antineoplastic agent for refractory ovarian cancer. Clin Pharm. 12: 401-15 (1993).								
	4	A. Sparreboom, O. van Tellingen, W. J. Nooijen, J. H. Beijnen, Nonlinear pharmacokinetics of pacitaxel in mice results from the pharmaceutical vehicle Cremophor EL. Cancer Res. 56: 2112-5 (1996);								
	5				J. Nooijen, J. H. Beijnen, C J. Cancer 81: 330-5 (1999).					
	6	R. Cavalli, O. Caputo, M Eur J Pharm Sci. 10: 30		nd characterizat	ion of solid lipid nanosphere	s containing paclitaxel.				

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

 Application Number
 10569316

 Filing Date
 2006-02-22

 First Named Inventor
 Jean-Sébastien Garrigue

 Art Unit
 1618

 Examiner Name
 Not Yet Assigned

 Attornev Docket Number
 PLASSR 3-3-001

(Not for submission under 37 CFR 1.99)

7	S. S. Feng, G. F. Huang, L. Mu, Nanospheres of biodegradable polymers: a system for clinical administration of an anticancer drug paclitaxel (Taxol), [In Process Citation]. Ann Acad Med Singapore. 29: 633-9 (2000)), liposomes	
8	P. Crosasso, M. Ceruti, P. Brusa, S. Arpicco, F. Dosio, L. Cattel, Preparation, characterization and properties of sterically stabilized paclitaxel-containing liposomes. J. Controlled Release. 63: 19-30 (2000);	
9	A. Sharma, R. M. Straubinger, Novel taxol formulations, preparation and characterization of taxol-containing liposomes, Pharm Res. 11: 889-96 (1994)), water-soluble prodrugs	
10	J. M. Terwogt, B. Nuijen, W. W. T. B. Huinink, J. H. Beijnen, Alternative formulations of paclitaxel. Cancer Treat Rev. 23: 87-95 (1997); A. Pendri, C. D. Conover, R. B. Greenwald.	
11	Pendr, Antitumor activity of paciftaxel-2'-glycinate conjugated to poly(ethylene glycol): a water-soluble prodrug. Anticancer Drug Des. 13: 387-95 (1998)), emulsions	
12	P. P. Constantinides, K. J. Lambert, A. K. Tustian, B. Schneider, S. Lalji, W. Ma, B. Wentzel, D. Kessler, D. Worah, and S. C. Quay, Formulation development and antitumor activity of a filter-sterilizable emulsion of paci	
13	B. B. Lundberg, A submicron lipid emulsion coated with amphipathic polyethylene glycol for parenteral administration of paciltaxel (Taxol.RTM.). J. Pharm Pharmacol. 49: 16-21 (1997);	
14	P. Kan, Z. B. Chen, C. J. Lee, I. M. Chu, Development of nonionic surfactant/phospholipid o/w emulsion as a pacitaxel delivery system. J Controlled Release. 58: 271-8 (1999),	
15	P. Simamora, R. M. Dannenfelser, S. E. Tabibi, S. H. Yalkowsky, Emulsion formulations for intravenous administration of paclitaxel. PDA J Pharm Sci Technol. 52: 170-2 (1998)) and microspheres	
16	R. T. Liggins, S. D'Amours, J. S. Demetrick, L. S. Machan, H. M. Burt, Paclitaxel loaded poly(L-lactic acid) microspheres for the prevention of intrapertioneal carcinomatosis after a surgical repair and tumor cell spill [in Process Citation]. Biomaterials. 21: 1959-59 (2000).	
17	Y. M. Wang, H. Sato, I. Adachi, I. Horikoshi, Preparation and characterization of poly(lactic-co-glycolic acid) microspheres for targeted delivery of a novel anticancer agent, taxol. Chem Pharm Bull (Tokyo). 44: 1935-40 (1996).	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /J.V./

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Not for submission under 37 CFR 1.99)

2006-02-22

10569316 Jean-Sébastien Garrique

First Named Inventor Art Unit **Examiner Name**

Application Number

Filing Date

1618 Not Yet Assigned

Attorney Docket Number

PLASSR 3.3-001

18	J. M. M. Terwogt, M. M. Malingre, J. H. Beijnen, W. W. B. Huinink, H. Rosing, F. J. Koopman, O. van Tellingen, M. Swart, and J. H. M. Schellens, Coadministration of oral cyclosporin A enables oral therapy with paciltaxel. Clin Cancer Res. 5: 3379-84 (1999).	
19	R. T. Dorr. Pharmacology and toxicology of Cremophor EL diluent. Ann Pharmacother. 28: S11-4 (1994); A. J. ten Tije, J. Verweij, W. J. Loos, and A. Sparreboom, Pharmacological effects of formulation vehicles: implications for cancer chemotherapy. Clin Pharmacokinet 42: 665-85 (2003).	
20	C. D. Britten, S. D. Baker, L. J. Denis, T. Johnson, R. Drengler, L. L. Siu, K. Duchin, J. Kuhn, and E. K. Rowinsky, Oral paclitaxel and concurrent cyclosporin A: targeting clinically relevant systemic exposure to paclitaxel. Clin Cancer Res. 6: 3459-68 (2000)).	
21	H. A. Bardelmeijer, M. Ouwehand, M. M. Malingre, J. H. Schellens, J. H. Beijnen, and O. van Tellingen, Entrapment by Cremophor EL decreases the absorption of paclitaxel from the gut. Cancer Chemother Pharmacol 49: 119-125 (2002);	
22	M. M. Malingre, J. H. Schellens, O. Van Tellingen, M. Ouwehand, H. A. Bardelmeijer, H. Rosing, F. J. Koopman, M. E. Schot, W. W. Ten Bokkel Huinink, and J. H. Beijnen, The co-solvent Cremophor EL limits absorption of orally administered paclitaxel in cancer patients. Br J. Cancer 35: 1472-1477 (2001).	
23	J. van Asperen, O. van Tellingen, A. Sparreboom, A. H. Schinkel, P. Borst, W. J. Nooijen, and J. H. Beijnen, Enhanced oral bioavailability of paciltaxel in mice treated with the P-glycoprotein blocker SDZ PSC 833. Br J. Cancer. 76: 1181-3 (1997):	
24	M. M. Malingre, J. M. Terwogt, J. H. Beijnen, H. Rosing, F. J. Koopman, O. van Tellingen, K. Duchin, W. W. Huinink, M. Swart, J. Lieverst, and J. H. Schellens, Phase I and pharmacokinetic study of oral pacitiaxel. J Clin Oncol 18: 2468-2475. (2000).	
25	C. M. Kruijtzer, J. H. Schellens, J. Mezger, M. E. Scheulen, U. Keilholz, J. H. Beijnen, H. Rosing, R. A. Mathot, S. Marcus, H. van Tinteren, and P. Baas, Phase II and pharmacologic study of weekly oral pacitiaxel plus cyclosporine in patients with advanced non-small-cell lung cancer. J Clin Oncol 20: 4508-16 (2002).	
26	T. Gershanik, S. Benta, Self-dispersing lipid formulations for improving oral absorption of lipophilic drugs. Eur J Pharm Biopharm. 50: 179-88 (2000).	
27	N.H. Shah, M. T. Carvajal, C. I. Patel, M. H. Infeld, A. W. Malick, Self-emulsifying drug delivery systems (SEDDS) with polyglycolyzed glycerides for improving in vitro dissolution and oral absorption of lipophilic drugs. Int J Pharm. 106: 15-23 (1994).	
28	D. J. Hauss, S. E. Fogal, J. V. Ficorilli, C. A. Price, T. Roy, A. A. Jayaraj, and J. J. Kierns, Lipid-based delivery systems for improving the bioavailability and lymphatic transport of a poorly water-soluble LTB4 inhibitor. J Pharm Sci. 87: 164-9 (1998).	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Not for submission under 37 CFR 1.99)

Application Number		10569316
Filing Date		2006-02-22
First Named Inventor Jean-S		Sébastien Garrigue
Art Unit		1618
Examiner Name Not Ye		et Assigned
Attorney Docket Numb	er	PLASSR 3.3-001

	29	P. P. Constantinides, Lipid microemulsions for improving drug dissolution and oral absorption; physical and biopharmaceutical aspects. Pharm Res. 12: 1561-72 (1995).	
	30	A. J. ten Tije, J. Verweij, W. J. Loos, and A. Sparreboom, Pharmacological effects of formulation vehicles: implications for cancer chemotherapy. Clin Pharmacokinet 42: 665-85 (2003).	
	31	C. M. Kruijtzer, H. Boot, J. H. Beijnen, H. L. Lochs, F. X. Pamis, A. S. Planting, J. M. Peigrims, R. Williams, R. A. Mathot, H. Rosing, M. E. Schot, H. Van Tinteren, and J. H. Schellens, Weekly oral paclitaxel as first-line treatment in patients with advanced gastric cancer. Ann Oncol 14: 197-204 (2003).	
	32	M. M. Malingre, J. H. Beijnen, H. Rosing, F. J. Koopman, O. van Tellingen, K. Duchin, W. W. Ten Bokkel Huinink, M. Swart, J. Lieverst, and J. H. Schellens, A phase I and pharmacokinetic study of bi-daily dosing of oral paclitaxel in combination with cyclosporin A. Cancer Chemother Pharmacol 47: 347-54 (2001).	
	33	M. Andreeva, P. D. ledmann, L. Binder, V. W. Armstrong, H. Meden, M. Binder, M. Oellerich, A simple and reliable reversed-phase high-performance liquid chromatographic procedure for determination of pacilitaxel (taxol) in human serum. Ther Drug Monit. 19: 327-32 (1997);	
	34	A, Sharma, W. D. Conway, R. M. Straubinger, Reversed-phase high-performance liquid chromatographic determination of taxol in mouse plasma. J Chromatogr B Blomed Appl. 655: 315-9 (1994).	
	35	Sparreboom, A., van Tellingen, O., Nooijen, W. J., and Beijnen, J. H., Determination of paclitaxel and metabolites in mouse plasma, tissues, urine and faeces by semi-automated reversed-phase high-performance liquid chromatography. J Chromatogr B Biomed Appl, 664: 383-391 (1995).	
	36	S. Tenjarla. Microemulsions: an overview and pharmaceutical applications. Crit Rev Ther Drug Carrier Syst. 16: 461-521 (1999).	×
	37	International Search Report, PCT/IP2004/003077.	
f you	wish to a	dd additional non-patent literature document citation information please click the Add button Add	
		EXAMINER SIGNATURE	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through a citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Date Considered

11/20/2009

Examiner Signature

/Jake Vu/

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)

PLASSR 3,3-001

10569316

¹ See Kind Codes of USPTO Patent Documents at www.USPTO.GOV or MPEP 901.04. ² Enter office that issued the document, by the two-letter code (WIPO Standard ST.3). ³ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁴ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁵ Applicant is to place a check mark here if English language translation is attached.

Attorney Docket Number

Application Number

/Jake Vu/

11/20/2009